| Work Orde Monday, June 24, | | | | *103 | 3384* | | | | | | Page 1 |
|--------------------------------------|-----------------|-----------------------------------|---------------------------------|----------------------|--------------|------------|--------------|---------------|---------------|------------------|----------------|
| Item ID: Revision ID: | D3914-041 | | | Accept | *N900 | <u>040</u> | 100 |)* s | Setup Star | IVI | S1* |
| item Name: | Long Basket Lic | d Assembly (350) | | | | | | | Sto | ^p *N | S2* |
| Start Date: | 6/24/2013 | Start Qty: 1.00 | *1* | | Cust Item | ID: | | | | | |
| Required Date: | 7/5/2013 | Req'd Qty: 1.00 | *1* | | Customer: | | | | | | |
| Reference: | | | | | | | _ | _ | S. C. | .4 | |
| Approvals: | Process Plan | : | Date: 13-01-1 | Tooling: | D | ate: | | . R | lun Stai | 1/1 | R1* |
| | QC: | | _ Date: | SPC (Y/N): | , D | ate: | | | Sto | *N | R2* |
| Sequence ID/ Work Center ID | | Operation Description | | Set Up/ Run Hours | Tool ID | Tool # | Plan Code | Accept Qty | Reject Qty | Reject Number | Insp. Stamp |
| Draw Nbr | Revis | ion Nbr | | | | | | | | | |
| D3914 | С | | | | | | | | | | |
| D4020 | Α | | | | | | | | | | |
| 100 | | Weld per dwg A/R S.S Large Fab | . rod Batch: <u>B / 238 2</u> 3 | 0.00 | | , | | . A | 13.0 | 10 | |
| *100* Large Fab | | Memo | | 0.00 | | | | 20 | <u> 13-9</u> | 10 | |
| Large Fab | | | e ribs, weld as per dwg D391 | | | | | | | | |
| | | 2- weld hin | ge (3) and Mounting brackets | s as per dwg D3914 | | | | | | | |
| | | ***Visual i | nspect before welding mesh* | ** | | | | | | | |
| | | | d mesh on basket as per dwg | | | | | | | | |
| | | | mesh where label plate goes | | as man davis | | | | | | |
| | | | Make sure to place mesh corre | | | | | | | | |
| 110 | | QC9- Inspect visual per | QSI004- Fusion Welds | 0.00 | | | | | | | , DAG |
| *11 0 * | | Mari | | 0.00 | | | | | 13-09. | 17 | (6 6 |
| QC . | | Memo | | 0.00 | | | | | | | |

Quality Control

103384

Page 2

Monday, June 24, 2013 11:20:58 AM

| mentady, etime 2 | ., 2010 11:2 | | | | | | | | | | |
|--|---------------|-----------------------------|---|---------------------------|-----------------|--------|--------------|---------------|-------------|-----------|----------------|
| Item ID: Revision ID: | D3914-041 | | | Accept | *N900 | 040 | 100 |)* | Setup Start | *N.S | 1* |
| | Long Basket l | Lid Assembly (350) | | | | | | | Stop | *N.S | 2* |
| Start Date: | 6/24/2013 | Start Qty: 1.00 | *1* | | Cust Item I | D: | | | | | |
| Required Date: | 7/5/2013 | Req'd Qty: 1.00 | *1* | | Customer: | | | | | | |
| Reference: | | | • | | | | | | ~ | | |
| Approvals: | Process Pla | an: | Date: | Tooling: | D: | ate: | | F | Run Start | *NF | ?1* |
| | QC: | | Date: | _ SPC (Y/N): | Da | ate: | | | Stop | *NF | ?2* |
| Sequence ID/ Work Center II |) | Operation Description | , a s— white seeds of | Set Up/ Run Hours | Tool ID | Tool # | Plan Code | Accept Qty | | • | Insp. Stamp |
| 120 | | QC5- Inspect part compl | eteness to step on W/O | 0.00 | | | | | | 6 | DAS |
| *120* QC Quality Control | | Мето | | 0.00 | | | | | 1305.1 | \ <u></u> | 09 |
| 130 *130* Powdercoat Powder Coating | | Start Time: J Oven Tempo | des of hinge prior to powdo 12 330° Erature: 330° | 0.00 0.00 ercoat*** | | | | | & B | 13-4- | <u>-//</u> . |
| 140 *140* HandFinish | | Memo | QS1005 4.4 Batch <u>//////</u> C | 0.00 | | | | _/_ | ø , | BL 13-9 | 9-11. |
| Hand Finishing | | 1- Mask dat | a plate and apply wing wal | k on outside surface of m | nesh as per dwg | | | | | | • |
| | | 2- Install pla | card and label as per dwg | | | | | | • | | |

***Mask label plate to size of label, use scotchbrite red pad to lightly sand area for label, apply label ***

| Work | Order | ID | 103384 |
|---|-------|----|--------|
| 1 1 U 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | Oiuci | 11 | 100001 |

103384

Page 3 Monday, June 24, 2013 11:20:58 AM Item ID: D3914-041 Accept *N900040100* Setup Start **Revision ID:** Long Basket Lid Assembly (350) Item Name: Start Oty: 1.00 Start Date: 6/24/2013 **Cust Item ID:** Required Date: 7/5/2013 Reg'd Oty: 1.00 **Customer:** Reference: Run Process Plan: Date: Tooling: **Approvals:** Date: Stop SPC (Y/N): Date: Date: Sequence ID/ Operation Tool ID Tool # Plan Set Up/ Accept Reject Reject Insp. Work Center ID Description Qty **Run Hours** Code **Qty** Number Stamp QC3- Inspect Part Finish 150 0.00 DAS *150* 27 QC 0.00 9-89 Memo Quality Control 13912 98353 Identify as per dwg & Stock Location: 104030-044000 160 1 6 H13-4-4 *160* Packaging 0.00 Memo Packaging 170 QC21- Final Inspection - Work Order Release 0.00 *170* OC 0.00 Memo **Ouality Control**

Picklist Print

Monday, June 24, 2013 11:21:03 AM

Work Order ID: 103384

103384

Parent Item:

D3914-041

D3914-041

Parent Item Name: Long Basket Lid Assembly (350)

Start Date: 6/24/2013

Required Date: 7/5/2013

Start Qty: 1.00

Required Qty: 1.00

Comments:

IPP Rev:A new issue DD 10.03.19 verified by:EC

IPP Rev:B

as per dwg revB DD 10.08.18 verified by:EC

IPP Rev:C 13.03.14 AS

PER DWG REV.pc1 DD VERF:JLM IPP REV:D 13.06.21 DWG

REV.C DD VERF:JFS

| Component Item ID/ Item Name | Replacement Item ID | Mfg/ Purch | Bin Item | Primary Location | Last Location | Route Seq ID | Unit of Measure | Qty on Hand | Qty per Kit | Total Qty | Qty Issued | Date Issued | Status |
|---------------------------------|------------------------|---------------|-------------|---------------------|------------------|-----------------|--------------------|----------------|-------------|--------------|---------------|----------------|----------|
| D3914-1 | | Manufactured | No | | | 100 | Each | 12.0000 | 2 | 2 | | | |
| *D3914-1* | k | | | | | | | | ** | 00 | 13 | 9-10 | <u>-</u> |
| | | | | Location | | Loc | <u>Oty</u> | Loc Code | | | | | |
| | | | | WA004 | | | 8 R/O | 3366 | | $(Z\times)$ | _ | | |
| | | | | 1 | 00751 | | 6 | | _ | | _ | | |
| | | | | 8 | 88645 | | 2 | | _ | | _ | | |
| | | | | WA005 | | | 4 | | | | _ | | |
| | | | | 8 | 1449 | | 1 | | | | _ | | |
| | | | | 8 | 2131 | | 1 | | | | _ | | |
| | | | | 8 | 7079 | | 1 | | | | _ | | |
| | | | | 9 | 7660 | | 1 | | | | _ | | |
| D3914-7 | | Manufactured | No | | | 100 | Each | 13.0000 | 2 | 2 | | | |
| *D3914-7* | * | | | | | | | | ** | | CC 1. | 13-9-1 | 0 |
| | | | | Location | | Loc | | Loc Code | | (5) | | | |
| | | | | WA004 | | | 8 B103 | 3362 | | (ZX) | - | | |
| | | | | 1 | 00888 | | 8 | | | | _ | | |
| | | | | WA005 | | | 5 | | | | | | |

| <u>Location</u> WA004 | Loc Oty Loc Code 8 B103362 — | → (ZX) |
|--------------------------|---------------------------------|--------|
| 100888 | 8 | |
| WA005 | 5 | |
| 82928 | 3 | |
| 88649 | 1 | |
| 97949 | 1 | |

2


2

85452 87706

99837

Monday, June 24, 2013 11:21:03 AM

| Work Order ID: 103384 | | *1(| 13384* | | | | | | |
|--|--------------------|-----|--|-----------|-------------------------|----------------------------|-----------------|----------|--|
| Parent Item: D3914-041 Parent Item Name: Long Basket | Lid Assembly (350) | *D | 3914-041* | | | | tart Date: 6 | | Required Date: 7/5/2013 Required Qty: 1.00 |
| D2728-3 *D2728-3* Dart Logo label large | Manufactured | No | | 140 | Each | 0.0000 | 0 ** | 0 | Bl 139-10 |
| D4016-3 *D4016-3* Hinge Half, Lid | Manufactured | No | | 100 | Each | 38.0000 | 3 ** | 3 | CC 13-9-10 |
| | | | UA004 WA004 101043 102214 94755 95563 | <u>Lo</u> | 38 20 8 8 2 | Loc Code | | <u> </u> | |
| D4020-5 *D4020-5* Mesh (350 Basket Long, Lid) | Manufactured | No | | 100 | Each | 4.0000 | 1 ** | 1 | CC 13-9-10 |
| | | | <u>Location</u> WA007 92695 96611 | <u>Lo</u> | 4 B10 | <u>Loc Code</u> 204/6 - | | | |
| D4021-3 *D4021-3* Data Plate | Manufactured | No | | 100 | Each | 62.0000 | ! * * | 1 | C 13-9-10 |
| | | | Location WA004 101346 80897 82507 | <u>Lo</u> | 62 52 9 | Loc Code | | | <u>) </u> |



| | | | | | | | | | | | | | DQA: | Dat | te: | · · · · · · · · · · · · · · · · · · · |
|-------------------------|------|------------|-----------|------------|-------|-----|---------------------------|-----|-------------|-------------------------------------|----------|-------------------------------|---------------|--|-----|---------------------------------------|
| NCR: | ⁄es | / No | | | | | WORK ORDER NON- | COI | NFORI | MANCE / | UPD/ | NTE | | | • | |
| | | | | | | _ | | | | | | · | QA Closed: | Dat | e: | - |
| Work Orde | er: | | | | | | DISPOSITION | | | | | AGAINST DE | PARTMENT | /PROCESS | | |
| Part N | • | | | | | | Rework Scrap Use-as-is | | 4 | Skid-tube Machining noforming | | Crosstube Small Fab Finishing | 4 | Water Jet d. Eng. Coor. re/Packaging | | Engineering Quality Other |
| NCR N | ۱٥ | | - 1.1 | | | | Work Order Update |] | | Large Fab | | Composite |] | Supplier | | |
| Root | - | | | | Desc | rip | tion of work order update | | Initial | | Action | n . | Sign & | | | |
| Cause | | Date | Step | Qty | | 0 | r Non-conformance | Cr | nief Eng | C | Descript | tion | Date | Verification | ۱ | QC Inspector |
| oc/Data quip/Tooling | | | | | | | | | | | | | | | | · |
| perator | | | ; | | | | | | | | | | | | | . * |
| laterial | | | | | | | | | : | | | | | | | |
| etup | | | | | | | | | | | | | | , | | |
| ther | | | | | | | | | | | | | | 7 | | |
| rocess | | | | | | | | | | | | | | | 1 | |
| upplier | | | | | | | | | | | | | | | | |
| raining | | | | | | | | | | | | | | | | |
| napproved | | | | | | | | | | | | | | | | |
| | | | | | | | F | AUL | T CATE | GORY | | | | | | |
| Landii | ng G | iear | | | | | General | | | | | | | | | |
| | | Bending | | | . [| | Bend | | Grain | | | | Ovalized | ſ | | Pressure/Forced |
| | | Centre No | t Concer | ntric to (| o/s [| | BOM/Route | | Hardwa | re | | | Over/Under | tolerance | | Temperature/Cure |
| | | Cracks | | | | | Broken/Damaged | | Inspecti | on Incomple | te | | Part Incorred | ct | | Weld |
| | | Crushed/C | Crimped | | | | Burrs | | Instruct | ions Incompl | ete/Unc | lear | Part Lost/Mi | ssing | | Wrong Stock Pulled |
| | | Cuffs | | | | | Contamination | | Mainte | nance | | | Part Moved | _ | | , |
| | | Heat Trea | t | | | | Countersink | | Mislabe | led | | | Positioned V | Vrong | | |
| | | Inspection | Strip in | Tube | | | Cut Too Short | | Misread | | | | Power Loss/: | Surge | | Other |
| | | Ripples in | Bend | | | | Drill Holes | | Offset | | | | | | | |
| | | Torque W | aves in E | xtrusio | n [| | Drawing | | Out of C | alibration | | | | | | |

Out of Sequence

Outside Dimensions


H:/FORMS/Quality Assurance\approved QA/NCRWO Rev G

Turning Sequence

Wave/Twist in Tube

Finish

Folio



| | | | | | | | | | | | | DQA: | Da | ate: | |
|---------------|----------------|-------------|-----------|----------|----------|----------------------------|----------|---------|-----------------|-----------|----|-----------------------------|--|----------|--------------------------|
| NCR: Y | es/ | / No | | | | WORK ORDER NON-C | 100 | NFORM | MANCE / UF | PDATE | | | | | |
| | | | | | | | | | | | _ | QA Closed: | Da | ate: | |
| Work Orde | è. | | | | | DISPOSITION | | | • | AGAINST I | DΈ | PARTMENT | PROCESS | | |
| WOIK Of Ge | - | · | | | | Rework | 1 | | Skid-tube | Crosstube | - | 1 | Water Jet | ٦ | Engineering |
| Part N | lo. | | | | | Scrap | 1 1 | | Machining | Small Fab | | Pro | d. Eng. Coor | - | Quality |
| | - | | | | | Use-as-is | 1 | | noforming | Finishing | | 4 | re/Packaging | - | Other |
| NCR N | lo. | | | | | Work Order Update | 1 | | Large Fab | Composite | | 1 | Supplier | | |
| | - | | *** | | | | 1 | | | | | | | | |
| Root | | | | | Descri | ption of work order update | | nitial | A | ction | | Sign & | | | |
| Cause | \Box | Date | Step | Qty | (| or Non-conformance | Ch | ief Eng | Des | cription | | Date | Verification | n · | QC Inspector |
| Doc/Data | | | | | | | | | | | | | | | |
| Equip/Tooling | | | | | | | ١, | | | | | | | | |
| Operator | | | | | | | | | | | | | | | |
| Material | | | | | | | | | | | | | | | |
| Setup | Щ | | | | | | | | | | | | | ļ | |
| Other | \square | | | | | | | | | | | | | | |
| Process | Ш | | 1 | | ŀ | | | . ! | | | | | | | |
| Supplier | | | [| | | | | | | | | | | 1 | |
| Training | | | | | | | Ì | | | | | | | | |
| Unapproved | | | | | | | L | | | | | <u></u> | | | |
| | | | | | | | AUI | T CATE | GORY | | | | | — | |
| Landi | _ | | | | _ | General | | 1 | | Г | | 10 -154 | | | Pressure/Forced |
| | - | Bending | | | | Bend | - | Grain | | - | | Ovalized | * • • • • • • • • • • • • • • • • • • • | \vdash | · · |
| | \blacksquare | Centre No | ot Concei | ntric to | U/S - | BOM/Route | \vdash | Hardwa | | | | Over/Under Part Incorred | | - | Temperature/Cure Weld |
| | — | Cracks | Cuture 1 | | <u> </u> | Broken/Damaged | \vdash | 1 ' | on Incomplete | /Unclose | | -1 | | \vdash | Wrong Stock Pulled |
| | - | Crushed/ | Crimped | | - | Burrs | - | 4 | ions Incomplete | onciear | | Part Lost/Mi Part Moved | 22111R | | ANTONIS STOCK Lanea |
| | | Cuffs | | | 1 | Contamination | 1 | Mainte | riance | | | Traft ivioved | | | |

Mislabeled

Out of Calibration

Out of Sequence

Outside Dimensions

Misread

Offset

Countersink

Cut Too Short

Drill Holes Drawing

Finish Folio Positioned Wrong

Power Loss/Surge

Other

Turning Sequence

Wave/Twist in Tube


Ripples in Bend

Heat Treat

Inspection Strip in Tube

Torque Waves in Extrusion


H:/FORMS/Quality Assurance\approved QA/NCRWO Rev G



| | | | | | | | | | | DQA: | Date: | |
|--|------|------|-----|--------|--|-----|--------|---|---|------------|---|---------------------------|
| NCR: Yes | / No | | | | WORK ORDER NON- | CON | IFORM | MANCE / UP | PDATE | QA Closed: | Date: | |
| Work Order: | | | | | DISPOSITION | | | - | AGAINST DE | PARTMENT | /PROCESS | |
| Part No. | | | | | Rework Scrap Use-as-is Work Order Update | | Thern | Skid-tube Machining noforming Large Fab | Crosstube Small Fab Finishing Composite | 1 | Water Jet d. Eng. Coor. re/Packaging Supplier | Engineering Quality Other |
| Root | | | | Descri | ption of work order update | li | nitial | Ad | ction | Sign & | | |
| Cause | Date | Step | Qty | (| or Non-conformance | Chi | ef Eng | Desc | cription | Date | Verification | QC Inspector |
| Doc/Data Equip/Tooling Operator Material Setup Other Process Supplier Training Unapproved | | | | | | | | | | | | |

| nain | g Gear | | General | _ | | _ | | _ |
|------|------------------------------|---|----------------|---------------------------------|---|----------------------|---|--------------------|
| Γ | Bending | | Bend | Grain | | Ovalized | L | Pressure/Forced |
| Γ | Centre Not Concentric to O/S | Г | BOM/Route | Hardware | | Over/Under tolerance | | Temperature/Cure |
| | Cracks | | Broken/Damaged | Inspection incomplete | | Part Incorrect | | Weld |
| Γ | Crushed/Crimped | | Burrs | Instructions Incomplete/Unclear | | Part Lost/Missing | | Wrong Stock Pulled |
| Γ | Cuffs | | Contamination | Maintenance | | Part Moved | | |
| | Heat Treat | | Countersink | Mislabeled | | Positioned Wrong | | - |
| Γ | Inspection Strip in Tube | | Cut Too Short | Misread | L | Power Loss/Surge | | Other |
| | Ripples in Bend | | Drill Holes | Offset | | | | |
| | Torque Waves in Extrusion | | Drawing | Out of Calibration | | | | |
| Γ | Turning Sequence | | Finish | Out of Sequence | | | | |
| | Wave/Twist in Tube | Г | Folio | Outside Dimensions | | | | |

FAULT CATEGORY



| | | | | | | | | | | DQA: | Date | |
|---------------|---------|--------------|----------|--------|---|-----|----------|--|---|---------------|---|--|
| NCR: Y | es / No | | | | WORK ORDER NON-C | CON | NFORM | AANCE / UPDA | | QA Closed: | Date | , |
| NA/onle Onde | | | | | DISPOSITION | | | | AGAINST DE | | | ······································ |
| Part N | lo | | | | Rework Scrap Use-as-is Work Order Update | | Therm | Skid-tube Machining noforming Large Fab | Crosstube Small Fab Finishing Composite | 4 | Water Jet d. Eng. Coor. re/Packaging Supplier | Engineering Quality Other |
| Root | | | | Descri | ption of work order update | l i | nitial | Actio | on | Sign & | | |
| Cause | Date | Step | Qty | (| or Non-conformance | Ch | ief Eng | Descrip | otion | Date | Verification | QC Inspector |
| Doc/Data | | | | | | | | | | | | · |
| Equip/Tooling | | | | | | | | | | | | |
| Operator | | | ļ | | | | | | | | | |
| Material | | | İ | | | | | | | | | |
| Setup | | | | | | | | | | | | |
| Other | | | | | | | | | | | | |
| Process | | | | | | | | | | | | |
| Supplier | | | | | | | | • | | | | |
| Training | | | | | | 1 | | | | | | |
| Unapproved | | 1 | | | | | | | | | | |
| | | | | · | F | AUL | T CATE | GORY | | | | |
| Landir | ng Gear | | | | General | | • | | | - | | - |
| | Bendin | g | | | Bend | | Grain | | | Ovalized | _ | Pressure/Forced |
| 1 | Centre | Not Conce | ntric to | o/s | BOM/Route | | Hardwa | re | | Over/Under | tolerance | Temperature/Cure |
| | Cracks | | | | Broken/Damaged | | Inspecti | on Incomplete | | Part Incorred | ct | Weld |
| | Crushe | d/Crimped | | | Burrs | | Instruct | ions Incomplete/Un | nclear | Part Lost/Mi | ssing | Wrong Stock Pulled |
| | Cuffs | | | | Contamination | | Mainte | nance | | Part Moved | | |
| | Heat Tr | eat | | | Countersink | | Mislabe | led | | Positioned V | Vrong | _ |
| | Inspect | ion Strip ir | 1 Tube | | Cut Too Short | | Misread | ŀ | | Power Loss/ | Surge | Other |
| | Ripples | in Bend | | | Drill Holes | | Offset | | | | | |

Out of Calibration

Out of Sequence
Outside Dimensions

Turning Sequence

Wave/Twist in Tube

Torque Waves in Extrusion

Drawing

Finish

Folio

8 0.40 8 R1.44 REF 15.50 2.00 0.38 5.64 R3.38 2 PL 20.18 REF 9 D4020-11 END MESH, BASKET

NOTES:
1) MATERIAL: AISI 304/316 EXPANDED STAINLESS STEEL MESH 3/4-16F
REF DART SPEC. M304EX0.75-16F
2) FINISH: NONE
3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
4) UNITS: INCHES UNLESS OTHERWISE NOTED
5) BREAK SHARP EDGES: N/A
6) IDENTIFICATION: N/A
7) WEIGHT: 1.22 lbs

D

7) WEIGHT. 1220S 88 LOCAL TRIM MAY BE NECESSARY TO CLEAR FASTENERS/STRUCTURE SEE NEXT ASSY FOR DETAILS 9) TOLERANCE ON XX.XX DIMENSIONS \pm 0.06.

| DESIGN | AJS | DART AEROSPACE LTD | |
|------------|-------|---|----------|
| DRAWN | JPH | HAWKESBURY, ONTARIO, CANADA | |
| CHECKED | 9 | | REV. A |
| MFG. APPR. | E | D4020 SHEE | T 3 OF 4 |
| APPROVED | TIP | TITLE | SCALE |
| DE APPR. | # | 350 BASKET MESH (BASE) | NTS |
| DATE 10.0 | 03.04 | COPYRIGHT © 2010 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND COMPLETIFUL AND IS SUPPLED ON THE ENTRESS CONDITION NOT TO BE USED FOR ANY PURPOSE OR COPPED ON COMMARKATED TO ANY OTHER PERSON | |

3

8

5

2

| | | | | | | | | | | | | | DQA: | Da | te: | |
|---|------|------------------------------|--|---|--------------------|------------------------|---------------------------------|---|---------------|----------------------------|-------------------|--|--------------|--------------------|---------------------------|------------------|
| NCR: Yes / No WORK ORDER NON-CONFORMANCE / UPDATE | | | | | | | | | | | | | | | | ł |
| | | | | | | _ | | | | | | _ | QA Closed: | Da | te: | |
| Work Order: | | | | | | | DISPOSITION | | | AGAINST DEPARTMENT/PROCESS | | | | | | |
| Part No. | | | | | | Rework Scrap Use-as-is | | Skid-tube Crosstube Machining Small Fab Thermoforming Finishing | | | | Water Jet Prod. Eng. Coor. Rec/Store/Packaging | | | Engineering Quality Other | |
| NCR No. | | | | ا | Work Order Update | | | Large Fab Composite | | | Supplier | | | | | |
| Root | | | | | Desc | rip | tion of work order update | П | Initial | Ac | tion | ٦ | Sign & | | | |
| Cause | | Date Step Qty | | | or Non-conformance | | Ch | nief Eng Description | | cription | | Date | Verification | | QC Inspector | |
| oc/Data | | | | | | | | | | | | | | | | |
| quip/Tooling | | | | | | | | İ | | | | | | | | |
| perator | | | | | | | | | | | | | | | | <u> </u> |
| Material | | | | | | | | | | | | ١ | | | | <i>,</i> |
| etup | | | | | | | | | | | | | | | | |
| ther | | | | | | | | | : | | | | * | | | |
| rocess | | X. | | | | | | | | | | | | | | |
| upplier | | | | | | | | | | | | | | i | | |
| raining | | | | | | | | | | | | | | | | |
| napproved | | | | | | | | <u> </u> | | | | | | | | |
| FAULT CATEGORY | | | | | | | | | | | | | | | | |
| Landi | ng (| Gear | | | _ | | General | _ | - | | _ | _ | ı | | _ | 1 [.] |
| | | Bending | | | | Bend | | Grain | | | | Ovalized | | | Pressure/Forced | |
| | | Centre Not Concentric to O/S | | | | $\overline{}$ | BOM/Route | | | | Hardware | | | tolerance | <u> </u> | Temperature/Cure |
| | | Cracks | | | | Broken/Damaged | \perp | 4 | on Incomplete | | \dashv | Part Incorre | | \vdash | Weld | |
| | | Crushed/Crimped | | | | Burrs | Instructions Incomplete/Unclear | | | 1 | Part Lost/Missing | | | Wrong Stock Pulled | | |
| | | Cuffs | | | | | Contamination | L | Maintenance | | | | Part Moved | | | |
| | | Heat Treat | | | | | Countersink | ļ—— | | | | Positioned V | 1 | | | |
| | L | Inspection Strip in Tube | | | | | Cut Too Short | | Misread | | | | Power Loss/ | Surge | L | Other |
| | | Ripples in Bend | | | | | Drill Holes | | Offset | | | | | | | <u> </u> |
| | | Torque Waves in Extrusion | | | | | Drawing | Out of Calibration | | | | | | | | |
| | 1 | Turning Sequence | | | | | Finish Out of Sequence | | | | | | | | | |

Outside Dimensions

Wave/Twist in Tube

Folio